MATERIAL SAFETY DATA SHEET

Metal Solution Too, "The Blue Stuff"

Identity (Trade name as used on label)

 Manufacturer
 MSDS #

 Jack's Magic Products, Inc.
 N/A

 Address
 CAS #

 12435 73rd CT
 N/A

 Date Prepared

 Largo, FL 33773
 5/2008

 Phone # (for information)
 Prepared By

 1-800-348-1656
 N/A

Emergency Phone #

1-800-424-9300 (international 703-527-3887)

SECTION 1 – MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS – Chemical Name & Common Name (Hazardous Components 1% or greater, carcinogens 0.1% or greater)	%	OSHA PEL	ACHH TLV	OTHER LIMITS RECOMMENDED
Proprietary Formulation	100			
Contains: (1-Hydroxyethylidene- 1, 1-diphosphonic Acid)				
Non-Hazardous Ingredients				
TOTAL	100			

SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point	Specific Gravity (H ₂ = 1)	
Greater than 212 deg. F	1.19	
Vapor Pressure (mm/Hg and Temperature)	Melting Point	
Similar to water	N/A	
Vapor Density (Air = 1)	Evaporation Rate	
Similar to water	N/A	
Solubility in Water	Water Reactive	
Soldbilly in Water	water Reactive	

Appearance and Color

Clear blue (may turn straw-colored to light amber if dye fades) liquid; slight odor.

SECTION 3 – HAZARDS IDENTIFICATION

	Health	Flammability	Reactivity
HMIS Hazard Code	3	1	1
NFPA Hazard Code	3	1	1

SECTION 4 – FIRE AND EXPLOSION DATA

Flash Point & Method Used	Auto Ignition Temperature	Flamability Limits in Air % by Volume	LEL	UEL
Non-flammable	N/A	N/A	N/A	N/A

Extinguisher Media

Waterfog CO2, Foam, Dry Chemical

Special Fire Fighting Procedures

Eliminate ignition source. Wear self-contained breathing apparatus and complete personal protective equipment. Use water spray to cool fire, exposed structures and tanks, and to disperse vapor cloud if fire is not present.

Unusual Fire and Explosion Hazards

Although this material does not meet the parameters for flammability, it will burn in the presence of a strong ignition source after the water is removed.

SECTIO	N 5 – REACTIVIT	<u> FY HAZARD DATA</u>			
Stability	Conditions to Avoid				
Stable Unstable □		and the second			
	Avoid contact with stro (Materials to Avoid)	ng oxidizing agents.			
Oxidizers					
Hazardous Deco	omposition Products				
Hazardous	Conditions to Avoid				
Polymerization Will Not Occ	ur				
☐ May Occur		with strong oxidizing age	ents.		
	711014 00114401	age			
SECTIO	<mark>N 6 – HEALTH H</mark>	AZARD DATA			
Primary Routes	of Entry	Carcinogen Listed In			
	☑ Ingestion	□ NTP	□ OSHA		
Skin Absorption	☐ Not Hazardous	☐ IARC Monograph	Not Listed		
Health Hazards		·			
Acute: May c	ause skin and eye burr	าร			
Chronic: None					
Signs and Symr	otoms of Exposure				
	skin and eye burns.				
Medical Condition	ons Generally Aggravated by Ex	posure			
None know					
See below.	t Aid Procedures				
Eye Contact					
•	ly flush eyes with plen	ty of water for at least 1	5 minutes. Hold eyelids open during		
	ee a physician if irritat				
Skin Contact					
			ng contaminated clothing and shoes.		
Inoroughly Inhalation	wash before reuse or	discard. See a physician	if irritation occurs.		
	tient from contaminat	ed area. Give oxygen if n	eeded. See a physician if irritation of		
	tract occurs.				
Ingestion Do not induce vomiting. Drink a quart of water. (Do not give food to an unconscious person).					
Seek immediate medical attention.					
SECTIO	N 7 – CONTROL	AND PROTECTIVE	MEASURES		
Respiratory Pro	tection (Specific Type)				
	red for normal operati				
Protective Glove Impervious		Eye Protection Splash-proof safety	ealanna v		
Ventilation To B		Spiasii-proof safety	y goggies.		
Local Exhaus		☐ Special ☐ Other (specify): Normal room ventilation.		
	e Clothing and Equipment ective clothing to minin	nize skin contact and che	emical resistant safety shoes.		
Hygienic Work F		o okiii ooiitaat ana on	onition resistant surery silves.		
		clothing. Avoid breathing	g vapor and mist. Handle with due		
caro					

SECTION 8 – PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken of material is spilled or released

Floor will become slippery. Use care. Wear splash-proof eye protection and impervious clothing. Contain spill with inert material (sand, earth, etc.) and transfer to separate containers for disposal.

Water Disposal Methods

Dispose of in accordance with all applicable local, state and federal regulations. Empty containers retain vapor or product residue and can be dangerous.

Precautions to be taken in handling and storage

Avoid contact with skin and eyes. Avoid contact with strong oxidizers. Keep out of reach of children.

Other Precautions and/or Special Hazards

N/A